



中国节能产品认证证书

证书编号：CQC19701225437

申请人名称及地址：安徽皖南电机股份有限公司
安徽省宣城市泾县泾川镇南华路 86 号

品 牌：皖南电机

制造商名称及地址：安徽皖南电机股份有限公司
安徽省宣城市泾县泾川镇南华路 86 号

生产企业名称及地址：安徽皖南电机股份有限公司
安徽省宣城市泾县泾川镇南华路 86 号

产 品 名 称：超超高效率三相异步电动机

系 列/规 格/型 号：见附件

认 证 模 式：产品型式试验+初次工厂检查+获证后监督

产品标准/技术要求：GB18613-2012

上述产品符合 CQC31-461121-2009 认证规则的要求，特此发证。

证 书 有 效 期：2019 年 08 月 14 日 至 2022 年 08 月 14 日
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。



主任：

陆梅



中国质量认证中心



CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC19701225437

NAME AND ADDRESS OF THE APPLICANT: ANHUI WANNAN ELECTRIC MACHINE CO.,LTD.
86, Nanhua Road, Jingchuan Town, Jingxian County, Anhui Province

BRAND NAME: WNM

NAME AND ADDRESS OF THE MANUFACTURER: ANHUI WANNAN ELECTRIC MACHINE CO.,LTD.
86, Nanhua Road, Jingchuan Town, Jingxian County, Anhui Province

NAME AND ADDRESS OF THE FACTORY: Anhui Wannan Electric Machine Co.,Ltd
86, Nanhua Road , Jingchuan Town, Jingxian County ,Anhui Province

PRODUCT NAME: YE4 series super-premium efficiency three phase induction motors

PRODUCT MODEL AND SPECIFICATION: See Appendix

TYPE OF CERTIFICATION SCHEMES: Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS: GB18613-2012

This is to certify that the above mentioned product(s) complies with the requirements of CQC31-461121-2009 .

Valid from: Aug.14,2019

Valid until: Aug.14,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国节能产品认证证书

附录
APPENDIX

第 1 页 共 10 页
Page 1 of 10

证书编号: CQC19701225437

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
1.	YE4-80M1-2	380	50	0.75	2	F	IP55、IP56	S1	1
2.	YE4-80M2-2	380	50	1.1	2	F	IP55、IP56	S1	1
3.	YE4-80M2-4	380	50	0.75	4	F	IP55、IP56	S1	1
4.	YE4-90S-2	380	50	1.5	2	F	IP55、IP56	S1	1
5.	YE4-90L-2	380	50	2.2	2	F	IP55、IP56	S1	1
6.	YE4-90S-4	380	50	1.1	4	F	IP55、IP56	S1	1
7.	YE4-90L-4	380	50	1.5	4	F	IP55、IP56	S1	1
8.	YE4-90S-6	380	50	0.75	6	F	IP55、IP56	S1	1
9.	YE4-90L-6	380	50	1.1	6	F	IP55、IP56	S1	1
10.	YE4-100L-2	380	50	3	2	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

证书编号: CQC19701225437

第 2 页 共 10 页
Page 2 of 10

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
11.	YE4-100L1-4	380	50	2.2	4	F	IP55、IP56	S1	1
12.	YE4-100L2-4	380	50	3	4	F	IP55、IP56	S1	1
13.	YE4-100L-6	380	50	1.5	6	F	IP55、IP56	S1	1
14.	YE4-112M-2	380	50	4	2	F	IP55、IP56	S1	1
15.	YE4-112M-4	380	50	4	4	F	IP55、IP56	S1	1
16.	YE4-112M-6	380	50	2.2	6	F	IP55、IP56	S1	1
17.	YE4-132S1-2	380	50	5.5	2	F	IP55、IP56	S1	1
18.	YE4-132S2-2	380	50	7.5	2	F	IP55、IP56	S1	1
19.	YE4-132S-4	380	50	5.5	4	F	IP55、IP56	S1	1
20.	YE4-132M-4	380	50	7.5	4	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

第 3 页 共 10 页
Page 3 of 10

证书编号: CQC19701225437

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
21.	YE4-132S-6	380	50	3	6	F	IP55、IP56	S1	1
22.	YE4-132M1-6	380	50	4	6	F	IP55、IP56	S1	1
23.	YE4-132M2-6	380	50	5.5	6	F	IP55、IP56	S1	1
24.	YE4-160M1-2	380	50	11	2	F	IP55、IP56	S1	1
25.	YE4-160M2-2	380	50	15	2	F	IP55、IP56	S1	1
26.	YE4-160L-2	380	50	18.5	2	F	IP55、IP56	S1	1
27.	YE4-160M-4	380	50	11	4	F	IP55、IP56	S1	1
28.	YE4-160L-4	380	50	15	4	F	IP55、IP56	S1	1
29.	YE4-160M-6	380	50	7.5	6	F	IP55、IP56	S1	1
30.	YE4-160L-6	380	50	11	6	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

证书编号: CQC19701225437

第 4 页 共 10 页
Page 4 of 10

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
31.	YE4-180M-2	380	50	22	2	F	IP55、IP56	S1	1
32.	YE4-180M-4	380	50	18.5	4	F	IP55、IP56	S1	1
33.	YE4-180L-4	380	50	22	4	F	IP55、IP56	S1	1
34.	YE4-180L-6	380	50	15	6	F	IP55、IP56	S1	1
35.	YE4-200L1-2	380	50	30	2	F	IP55、IP56	S1	1
36.	YE4-200L2-2	380	50	37	2	F	IP55、IP56	S1	1
37.	YE4-200L-4	380	50	30	4	F	IP55、IP56	S1	1
38.	YE4-200L1-6	380	50	18.5	6	F	IP55、IP56	S1	1
39.	YE4-200L2-6	380	50	22	6	F	IP55、IP56	S1	1
40.	YE4-225M-2	380	50	45	2	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

证书编号: CQC19701225437

第 5 页 共 10 页
Page 5 of 10

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
41.	YE4-225S-4	380	50	37	4	F	IP55、IP56	S1	1
42.	YE4-225M-4	380	50	45	4	F	IP55、IP56	S1	1
43.	YE4-225M-6	380	50	30	6	F	IP55、IP56	S1	1
44.	YE4-250M-2	380	50	55	2	F	IP55、IP56	S1	1
45.	YE4-250M-4	380	50	55	4	F	IP55、IP56	S1	1
46.	YE4-250M-6	380	50	37	6	F	IP55、IP56	S1	1
47.	YE4-280S-2	380	50	75	2	F	IP55、IP56	S1	1
48.	YE4-280M-2	380	50	90	2	F	IP55、IP56	S1	1
49.	YE4-280M1-2	380	50	110	2	F	IP55、IP56	S1	1
50.	YE4-280S-4	380	50	75	4	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

证书编号: CQC19701225437

第 6 页 共 10 页
Page 6 of 10

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
51.	YE4-280M-4	380	50	90	4	F	IP55、IP56	S1	1
52.	YE4-280M1-4	380	50	110	4	F	IP55、IP56	S1	1
53.	YE4-280S-6	380	50	45	6	F	IP55、IP56	S1	1
54.	YE4-280M-6	380	50	55	6	F	IP55、IP56	S1	1
55.	YE4-280M1-6	380	50	75	6	F	IP55、IP56	S1	1
56.	YE4-315S-2	380	50	110	2	F	IP55、IP56	S1	1
57.	YE4-315M-2	380	50	132	2	F	IP55、IP56	S1	1
58.	YE4-315L1-2	380	50	160	2	F	IP55、IP56	S1	1
59.	YE4-315L-2	380	50	185	2	F	IP55、IP56	S1	1
60.	YE4-315L2-2	380	50	200	2	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

第 7 页 共 10 页
Page 7 of 10

证书编号: CQC19701225437

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
61.	YE4-315L3-2	380	50	220	2	F	IP55、IP56	S1	1
62.	YE4-315L4-2	380	50	250	2	F	IP55、IP56	S1	1
63.	YE4-315S-4	380	50	110	4	F	IP55、IP56	S1	1
64.	YE4-315M-4	380	50	132	4	F	IP55、IP56	S1	1
65.	YE4-315L1-4	380	50	160	4	F	IP55、IP56	S1	1
66.	YE4-315L-4	380	50	185	4	F	IP55、IP56	S1	1
67.	YE4-315L2-4	380	50	200	4	F	IP55、IP56	S1	1
68.	YE4-315L3-4	380	50	220	4	F	IP55、IP56	S1	1
69.	YE4-315L4-4	380	50	250	4	F	IP55、IP56	S1	1
70.	YE4-315S-6	380	50	75	6	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

第 8 页 共 10 页
Page 8 of 10

证书编号: CQC19701225437

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
71.	YE4-315M-6	380	50	90	6	F	IP55、IP56	S1	1
72.	YE4-315L1-6	380	50	110	6	F	IP55、IP56	S1	1
73.	YE4-315L2-6	380	50	132	6	F	IP55、IP56	S1	1
74.	YE4-315L3-6	380	50	160	6	F	IP55、IP56	S1	1
75.	YE4-315L4-6	380	50	185	6	F	IP55、IP56	S1	1
76.	YE4-355M1-2	380	50	220	2	F	IP55、IP56	S1	1
77.	YE4-355M-2	380	50	250	2	F	IP55、IP56	S1	1
78.	YE4-355L1-2	380	50	280	2	F	IP55、IP56	S1	1
79.	YE4-355L-2	380	50	315	2	F	IP55、IP56	S1	1
80.	YE4-3551-2	380	50	355	2	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

第 9 页 共 10 页
Page 9 of 10

证书编号: CQC19701225437

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
81.	YE4-3552-2	380	50	375	2	F	IP55、IP56	S1	1
82.	YE4-355M1-4	380	50	220	4	F	IP55、IP56	S1	1
83.	YE4-355M-4	380	50	250	4	F	IP55、IP56	S1	1
84.	YE4-355L1-4	380	50	280	4	F	IP55、IP56	S1	1
85.	YE4-355L-4	380	50	315	4	F	IP55、IP56	S1	1
86.	YE4-3551-4	380	50	355	4	F	IP55、IP56	S1	1
87.	YE4-3552-4	380	50	375	4	F	IP55、IP56	S1	1
88.	YE4-355M1-6	380	50	160	6	F	IP55、IP56	S1	1
89.	YE4-355M-6	380	50	185	6	F	IP55、IP56	S1	1
90.	YE4-355M2-6	380	50	200	6	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附录
APPENDIX

证书编号: CQC19701225437

第 10 页 共 10 页
Page 10 of 10

纸号: 155210

序号	型号	电压 (V)	频率 (Hz)	额定功率 (kW)	极数	绝缘等级	防护等级	工作制	能效等级
91.	YE4-355L1-6	380	50	220	6	F	IP55、IP56	S1	1
92.	YE4-355L-6	380	50	250	6	F	IP55、IP56	S1	1
93.	YE4-3551-6	380	50	280	6	F	IP55、IP56	S1	1
94.	YE4-3552-6	380	50	315	6	F	IP55、IP56	S1	1
95.	YE4-355L4-6	380	50	355	6	F	IP55、IP56	S1	1

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心